

Weak Base Anion (WBA)

General Statement

It is a premium grade weak base anion exchange resin with gel and macroporous type styrene-DVB copolymer in free form. This GPS safety summary is only applicable to the product mentioned in section 2.

Chemical Identification

Products Name

TULSION A-2X MP, TULSION A-10X MP, TULSION A-8X MP, TULSION A-2X MP R

Chemical Identity

Amino methyl copolymer of styrene and divinylbenzene In free form.

Uses and Applications

Common industrial uses of the product are industrial water treatment, condensate polishing unit, demineralization, catalytic application, etc.

Physical / chemical properties

Property	Value
Physical State	Spherical beads
Water solubility	Insoluble
pH Range	7-8

Health Effects

No health effects were observed by any route of exposure.

Environmental Effects

Copolymer do not bioaccumulate in the water but due to low biodegradation rate it is expected to remain in soil & sediment. Ecotoxicity is not expected to be acutely toxic

Exposure

Human Health

The product is only used for industrial purposes; therefore, consumer exposure is not relevant and does not need to be assessed for this product. For worker, follow appropriate Risk Management Measures to control risk of exposure.

Environment

According to GHS/CLP regulation the product listed in section 2 does not fulfil the criteria for classification and labelling as "Hazardous to environment".



Risk Management Recommendations

Direct contact with the substance can be practically excluded as the product is handled in close process. All personnel should be adequately trained for general handling of chemicals. Wear appropriate PPEs. Ensure adequate ventilation & observe the usual precautions for handling chemicals. Storage must be in non-metallic vessels. Keep away from oxidizing agents. Store in a cool enclosed place. Wash hands & skin following contact. If the product gets into your eyes, rinse eyes thoroughly for 15 minutes with tap water and seek medical attention, consult the doctor immediately.

Accidental Release Measures

Spill Containment

Avoid spills and prevent material from entering water bodies.

Clean-up Procedure

Use protective equipment during clean-up. Avoid creating dust. Dispose of in accordance with local regulation.

Regulatory Information/Classification and Labelling

Regulatory Compliance

Product is compliant with OSHA (US); TSCA and other domestic regulations. Being polymer, this product is exempted from REACH (EU) registration.

Classification and Labelling

GHS/CLP Classification	The product is not classified, according to the Globally Harmonized System (GHS).
Hazard Pictogram	The product is not classified, according to the Globally Harmonized System (GHS).
Signal Word	Not applicable
Hazard Statement	The product is not classified, according to the Globally Harmonized System (GHS).
Precautionary Statements	Wash hands thoroughly after handling. Do not touch eyes.
	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if
	present and easy to do. Continue rinsing
	Get emergency medical help.

Conclusion

Workers handling this product must use protective gear, and facilities must implement safety protocols to avoid accidents and appropriate risk management measures should be selected and applied to control risk of exposure. Exposure to environment is considered negligible as Styrene-DVB copolymer only has supported industrial uses and the

Exposure to environment is considered negligible as Styrene-DVB copolymer only has supported industrial uses and the manufacturing process is an enclosed system. Also, this product has no supported uses in direct consumer products.

Contact Information Within Company

M/s. Thermax Limited, Chemical Division, 97-E, General Block, MIDC Industrial Area, Bhosari, Pune 411 026 [India] Tel: 00 91 20 67156900/ 91 20 67156901, Off. No.: +91 20 67156900/6901